

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 149808

Wednesday, August 03, 2016 1:26:22 PM

149808

Page 2

Item ID: D2938-2PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH Out, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	<i>QC</i> Memo Inspection performed by CMM	0.00 0.00				<u>6</u>	<u>0</u>		DAS 14 0.00 16/08/22
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.02				<u>6</u>	<u>0</u>		DAS 08 9.89
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.05				<u>6</u>	<u>0</u>		2.16/08/24

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY						
Environment ☐	☐	No Re-verification	Pressure/Forced ☐	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	Bending ☐	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	Centre Not Concentric ☐	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	Cracks ☐	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	Cuffs ☐	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	Crushing ☐	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	Heat Treat ☐	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	Marks/Chatter ☐	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____						
Misidentified ☐	☐	Past Due							

Work Order ID 149808

Wednesday, August 03, 2016 1:26:22 PM

149808

Page 3

Item ID: D2938-2PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH Out, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150		0.00							
150 SprayPaint Spray Painting	Memo 1- PRIME INSIDE AND OUT AS PER DWG AND OSI 005 4.2.1.3.3 PRIMER PRC DESOTO 515X349 BATCH: <u>135929</u> 2- PAINT BLACK AS PER DWG AND QSI 005 4.2.2 USING CA8213/F3738 CAMOFLAGE BLACK PAINT BATCH: <u>135300</u>	0.00				<u>6</u>			<u>MAP</u> 16-12-21
160	QC14- Inspect Spray Paint	0.00							
160 QC Quality Control	Memo	0.01				<u>(6)</u>	<u>17-01-03</u>		DAS 9 9-89
170	Identify as per dwg & Stock Location: <u>81394</u>	0.00							
170 Packaging Packaging	Memo	0.01				<u>6x</u>		JAN 04 2017	DAS 26 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Work Order ID 149808

Wednesday, August 03, 2016 1:26:22 PM

149808

Page 4

Item ID: D2938-2PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH Out, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.10							
Quality Control									

DAS
21
9-89

JAN 0 9 2017

DAS
21
9-89

JAN 0 4 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER :									

Picklist Print

Wednesday, August 03, 2016 1:26:21 PM

Page 1
1

Work Order ID: 149808

149808

Parent Item: D2938-2PHI

D2938-2PHI

Parent Item Name: Saddle RH Out, 206

Start Date: 7/22/2016

Required Date: 8/3/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP: B00.06.26New DWG rev, (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-003		Manufactured	No			100	Each	66.0000	1	6			

D6101-003

Saddle Billet, 7075

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
MAT040	15	
→ 145263	15	
MAT046	51	
142007	1	
146890	20	
147659	30	

DAS
14
9-39

16/08/21

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :						
Misidentified	☐	Past Due	☐							

DART AEROSPACE LTD	Work Order: 149808
Description: 206 Saddle, Outboard, Right side	Part Number: D2938-2
Inspection Dwg: D2938 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.100	0.140		.109	.118	.115	.117		
B	0.100	0.140		.106	.118	.118	.115		
C	0.100	0.140		.103	.115	.112	.113		
D	0.210	0.230		.222	.221	.221	.221		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.515	.514	.514	.514		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.260	.260	.260	.260		
L	0.312	0.317		.315	.315	.315	.315		
M	0.235	0.240		.235	.240	.240	.239		
N	0.100	0.140		.119	.120	.119	.119		
O	0.540	0.560		.551	.550	.550	.551		
P	0.490	0.510		.500	.500	.500	.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.720	2.760		2.740	2.740	2.740	2.740		
S	0.240	0.270		.254	.253	.249	.250		
T	0.100	0.180		.140	.140	.140	.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.316	.316	.316	.316		
X	1.250	1.270		1.255	1.257	1.261	1.260		
Y	1.565	1.585		1.568	1.570	1.574	1.575		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: ^{DAS} 14
Date: 16/08/22

Audited by: ^{DAS} B.
Date: 16/08/23 ⁰⁶ 08-09

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order: 149808
Description: 206 Saddle, Outboard, Right side	Part Number: D2938-2
Inspection Dwg: D2938 Rev. C	Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	15	26	3	4		
A	0.100	0.140		.117	.117				
B	0.100	0.140		.115	.115				
C	0.100	0.140		.112	.113				
D	0.210	0.230		.221	.220				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		.514	.514				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		.260	.260				
L	0.312	0.317		.316	.314				
M	0.235	0.240		.240	.240				
N	0.100	0.140		.119	.118				
O	0.540	0.560		.550	.550				
P	0.490	0.510		.500	.500				
Q	3.715	3.725		3.720	3.720				
R	2.720	2.760		2.740	2.740				
S	0.240	0.270		.251	.250				
T	0.100	0.180		.140	.140				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.367	1.367				
W	0.316	0.321		.316	.316				
X	1.250	1.270		1.261	1.260				
Y	1.565	1.585		1.575	1.573				
Z	0.178	0.198		.188	.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									


Measured by:	DAS 14
Date:	16/08/22

Audited by:	B.A DAS 08
Date:	16/08/23 9:39

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	




SECTION A-A



SECTION B-B

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
149808



VIEW C-C

D2938-1 LH SADDLE (SHOWN)
D2938-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
(MAKE FROM D6101-003 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP


C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.11.12	NEW ISSUE
DESIGN	4	DRAWN BY C.B.
CHECKED	PH	APPROVED
DATE	06.11.09	DRAWING NO. D2938
		TITLE SADDLE OUTSIDE
		REV. C SHEET 1 OF 1 SCALE 2:3

Copyright © 1999 by DART Aerospace USA, Inc.



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART Aerospace USA, Inc.

RELEASED

07.02.12




SECTION A-A



VIEW C-C

SECTION B-B



D2938-1 LH SADDLE (SHOWN)
D2938-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
(MAKE FROM D6101-003 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP

C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.11.12	NEW ISSUE
DESIGN	4	DRAWN BY
CHECKED	PH	APPROVED
DATE	06.11.09	TITLE
		SADDLE OUTSIDE

COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
AND IS SUPPLIED ON THE EXPRESS CONDITION
THAT IT IS NOT TO BE USED FOR ANY PURPOSE
OR COPIED OR COMMUNICATED TO ANY OTHER
PERSON WITHOUT WRITTEN PERMISSION FROM
DART AEROSPACE USA, INC.

DART DART AEROSPACE USA, INC.
BELLINGHAM, WA

DRAWING NO.
D2938

REV. C
SHEET 1 OF 1

SCALE
2:3

07.02.12